



Sublimity Fire District Safety Committee Minutes May 30, 2007

Call to order: Geoff McFarland called the meeting to order at 8:45 a.m.

Members present: Angela Hargin, Geoff McFarland, Amy Manning

Members absent: Tim Gardner

Additions/Deletions to Agenda: None

Reading of Minutes: The minutes from April 26, 2007, were approved.

Old Business: Kamerer's turnout coat can't be washed because of the hole. It needs to be repaired. His pants still need to be washed. Amy will call George Stratton of L.N. Curtis about the repairs.

Amy still needs to order the inspection tags for fire extinguishers.

We are still waiting for contact from someone from OSHA regarding a walkthrough. The letter said our request would be processed in the order it was received.

The biobox was picked up. There was discussion regarding the instructions for sealing and packaging the box, etc.

Geoff made a tag for the washer regarding cycling the machine after washing turnouts. There was a sign before, but it was posted above the dryer in a less conspicuous area than it is now.

Angela is still researching the requirement of physical agility testing. Everything that she's found is regards to having firefighters do physicals, not physical agility tests. The info she found relates to factors for age, etc.

No one knew whether Brandon Hamilton's turnouts had been washed after the last fire. They were supposed to be washed. Geoff would talk to Brandon directly.

New Business: The committee needs to do inspections next month.

The weight bench and weights in the engine bay need to be moved; they are creating a hazard.

Amy had a complaint about someone running rigs in the engine bay without doors being opened. When she approached the party responsible, he said that

at least one door was open and he had opened other doors right away after he started.

The painting supplies, etc., needs to be moved out of the stairwell.

Station 51 compliance center/MSDS center looks like it got hit with a basketball or something and needs to be repaired.

We need to go through the first aid cabinet at the next inspection.

There was discussion regarding the upcoming open house and any possible safety issues arising with the public going through apparatus, the station, etc.

Adjourn: Meeting adjourned at 3:15 p.m.

Next meeting: TBA

Submitted by Amy Manning

Accepted by Geoff McFarland